




TOP VIEW


STERNWHEEL BOAT


SCALE: 1/2" = 1'-0"

NOTES:

1. TARGET AUDIENCE: 3 - 7 YR OLDS (ERGONOMICS DESIGNED TO METRICS RELATING TO A 75-PERCENTILE 5-YR-OLD.)
2. EASED EDGES. NO SHARP CORNERS.
3. UNLESS OTHERWISE SPECIFIED, ALL MATERIALS ARE PAINTED WOOD.
4. UNLESS OTHERWISE SPECIFIED, NO VISIBLE HARDWARE.

VISIBLE FASTENERS TO REINFORCE THE NAUTICAL AESTHETIC (ROUND-HEAD, BRASS HARDWARE, ETC).
5. STRUCTURE ANCHORS TO FACILITY. ATTACHMENT DETAIL TBD BY FABRICATOR.
6. THE MAIN BOAT BODY AND STERNWHEEL (INTERACTIVE + CLADDING) ARE INDEPENDENT STRUCTURES CONNECTED VISUALLY BY A FAUX SHAFT. THE FAUX SHAFT HIDES THE FUNCTIONAL HARDWARE FOR THE ROTATING INTERACTIVE.
7. ALL GAPS SURROUNDING THE STERNWHEEL INTERACTIVE MUST BE LESS THAN 1/4" AS TO ELIMINATE PINCH POINTS FOR FINGERS.
8. SEE PROVIDED 3D MODEL FOR ADDITIONAL DETAILS AND DIMENSIONS.





FRONT VIEW


STERNWHEEL BOAT

SCALE: 1/2" = 1'-0"

- DECORATIVE BOAT WHISTLES (QTY: 3)
- UPPER-LEVEL PILOT HOUSE (SCENIC ONLY)
- DECORATIVE SMOKE STACK (QTY: 2)
- CORBEL DETAILS ARE UNIQUE / CONFORM TO THE ANGLES DEFINED BY THE ADJACENT STRUCTURAL MEMBERS
- ANGLED VERTICAL SUPPORT (3.5" X 3.5" CROSS-SECTION)
- MUSICAL INTERACTIVE (OTS INSTRUMENT)
- CAPTAIN'S WHEEL INTERACTIVE
- ROUTED DETAIL (1/8" W) TAPERS / FOLLOWS EDGES OF STRUCTURE
- DECORATIVE PILE (QTY: 4)
- TRIM (1" H)
- TRIM (2" H)

- NOTES:**
- TARGET AUDIENCE: 3 - 7 YR OLDS (ERGONOMICS DESIGNED TO METRICS RELATING TO A 75-PERCENTILE 5-YR-OLD.)
 - EASED EDGES. NO SHARP CORNERS.
 - UNLESS OTHERWISE SPECIFIED, ALL MATERIALS ARE PAINTED WOOD.
 - UNLESS OTHERWISE SPECIFIED, NO VISIBLE HARDWARE.

VISIBLE FASTENERS TO REINFORCE THE NAUTICAL AESTHETIC (ROUND-HEAD, BRASS HARDWARE, ETC).
 - STRUCTURE ANCHORS TO FACILITY. ATTACHMENT DETAIL TBD BY FABRICATOR.
 - THE MAIN BOAT BODY AND STERNWHEEL (INTERACTIVE + CLADDING) ARE INDEPENDENT STRUCTURES CONNECTED VISUALLY BY A FAUX SHAFT. THE FAUX SHAFT HIDES THE FUNCTIONAL HARDWARE FOR THE ROTATING INTERACTIVE.
 - ALL GAPS SURROUNDING THE STERNWHEEL INTERACTIVE MUST BE LESS THAN 1/4" AS TO ELIMINATE PINCH POINTS FOR FINGERS.
 - SEE PROVIDED 3D MODEL FOR ADDITIONAL DETAILS AND DIMENSIONS.



BACK VIEW


STERNWHEEL BOAT

SCALE: 1/2" = 1'-0"

NOTES:

- TARGET AUDIENCE: 3 - 7 YR OLDS (ERGONOMICS DESIGNED TO METRICS RELATING TO A 75-PERCENTILE 5-YR-OLD.)
- EASED EDGES. NO SHARP CORNERS.
- UNLESS OTHERWISE SPECIFIED, ALL MATERIALS ARE PAINTED WOOD.
- UNLESS OTHERWISE SPECIFIED, NO VISIBLE HARDWARE.

VISIBLE FASTENERS TO REINFORCE THE NAUTICAL AESTHETIC (ROUND-HEAD, BRASS HARDWARE, ETC).
- STRUCTURE ANCHORS TO FACILITY. ATTACHMENT DETAIL TBD BY FABRICATOR.
- THE MAIN BOAT BODY AND STERNWHEEL (INTERACTIVE + CLADDING) ARE INDEPENDENT STRUCTURES CONNECTED VISUALLY BY A FAUX SHAFT. THE FAUX SHAFT HIDES THE FUNCTIONAL HARDWARE FOR THE ROTATING INTERACTIVE.
- ALL GAPS SURROUNDING THE STERNWHEEL INTERACTIVE MUST BE LESS THAN 1/4" AS TO ELIMINATE PINCH POINTS FOR FINGERS.
- SEE PROVIDED 3D MODEL FOR ADDITIONAL DETAILS AND DIMENSIONS.



BACK VIEW (STERNWHEEL REMOVED)


SCALE: 1/2" = 1'-0"

STERNWHEEL BOAT

NOTES:

- TARGET AUDIENCE: 3 - 7 YR OLDS (ERGONOMICS DESIGNED TO METRICS RELATING TO A 75-PERCENTILE 5-YR-OLD.)
- EASED EDGES. NO SHARP CORNERS.
- UNLESS OTHERWISE SPECIFIED, ALL MATERIALS ARE PAINTED WOOD.
- UNLESS OTHERWISE SPECIFIED, NO VISIBLE HARDWARE.

VISIBLE FASTENERS TO REINFORCE THE NAUTICAL AESTHETIC (ROUND-HEAD, BRASS HARDWARE, ETC).
- STRUCTURE ANCHORS TO FACILITY. ATTACHMENT DETAIL TBD BY FABRICATOR.
- THE MAIN BOAT BODY AND STERNWHEEL (INTERACTIVE + CLADDING) ARE INDEPENDENT STRUCTURES CONNECTED VISUALLY BY A FAUX SHAFT. THE FAUX SHAFT HIDES THE FUNCTIONAL HARDWARE FOR THE ROTATING INTERACTIVE.
- ALL GAPS SURROUNDING THE STERNWHEEL INTERACTIVE MUST BE LESS THAN 1/4" AS TO ELIMINATE PINCH POINTS FOR FINGERS.
- SEE PROVIDED 3D MODEL FOR ADDITIONAL DETAILS AND DIMENSIONS.



SECTION VIEW - A


STERNWHEEL BOAT

SCALE: 1/2" = 1'-0"

NOTES:

1. TARGET AUDIENCE: 3 - 7 YR OLDS (ERGONOMICS DESIGNED TO METRICS RELATING TO A 75-PERCENTILE 5-YR-OLD.)
2. EASED EDGES. NO SHARP CORNERS.
3. UNLESS OTHERWISE SPECIFIED, ALL MATERIALS ARE PAINTED WOOD.
4. UNLESS OTHERWISE SPECIFIED, NO VISIBLE HARDWARE.

VISIBLE FASTENERS TO REINFORCE THE NAUTICAL AESTHETIC (ROUND-HEAD, BRASS HARDWARE, ETC).
5. STRUCTURE ANCHORS TO FACILITY. ATTACHMENT DETAIL TBD BY FABRICATOR.
6. THE MAIN BOAT BODY AND STERNWHEEL (INTERACTIVE + CLADDING) ARE INDEPENDENT STRUCTURES CONNECTED VISUALLY BY A FAUX SHAFT. THE FAUX SHAFT HIDES THE FUNCTIONAL HARDWARE FOR THE ROTATING INTERACTIVE.
7. ALL GAPS SURROUNDING THE STERNWHEEL INTERACTIVE MUST BE LESS THAN 1/4" AS TO ELIMINATE PINCH POINTS FOR FINGERS.
8. SEE PROVIDED 3D MODEL FOR ADDITIONAL DETAILS AND DIMENSIONS.




SECTION VIEW - B

STERNWHEEL BOAT

SCALE: 1/2" = 1'-0"

- NOTES:**
- TARGET AUDIENCE: 3 - 7 YR OLDS (ERGONOMICS DESIGNED TO METRICS RELATING TO A 75-PERCENTILE 5-YR-OLD.)
 - EASED EDGES. NO SHARP CORNERS.
 - UNLESS OTHERWISE SPECIFIED, ALL MATERIALS ARE PAINTED WOOD.
 - UNLESS OTHERWISE SPECIFIED, NO VISIBLE HARDWARE.
 - STRUCTURE ANCHORS TO FACILITY. ATTACHMENT DETAIL TBD BY FABRICATOR.
 - THE MAIN BOAT BODY AND STERNWHEEL (INTERACTIVE + CLADDING) ARE INDEPENDENT STRUCTURES CONNECTED VISUALLY BY A FAUX SHAFT. THE FAUX SHAFT HIDES THE FUNCTIONAL HARDWARE FOR THE ROTATING INTERACTIVE.
 - ALL GAPS SURROUNDING THE STERNWHEEL INTERACTIVE MUST BE LESS THAN 1/4" AS TO ELIMINATE PINCH POINTS FOR FINGERS.
 - SEE PROVIDED 3D MODEL FOR ADDITIONAL DETAILS AND DIMENSIONS.



SECTION VIEW - D


STERNWHEEL BOAT

SCALE: 1/2" = 1'-0"

NOTES:

1. TARGET AUDIENCE: 3 - 7 YR OLDS (ERGONOMICS DESIGNED TO METRICS RELATING TO A 75-PERCENTILE 5-YR-OLD.)
2. EASED EDGES. NO SHARP CORNERS.
3. UNLESS OTHERWISE SPECIFIED, ALL MATERIALS ARE PAINTED WOOD.
4. UNLESS OTHERWISE SPECIFIED, NO VISIBLE HARDWARE.

VISIBLE FASTENERS TO REINFORCE THE NAUTICAL AESTHETIC (ROUND-HEAD, BRASS HARDWARE, ETC).
5. STRUCTURE ANCHORS TO FACILITY. ATTACHMENT DETAIL TBD BY FABRICATOR.
6. THE MAIN BOAT BODY AND STERNWHEEL (INTERACTIVE + CLADDING) ARE INDEPENDENT STRUCTURES CONNECTED VISUALLY BY A FAUX SHAFT. THE FAUX SHAFT HIDES THE FUNCTIONAL HARDWARE FOR THE ROTATING INTERACTIVE.
7. ALL GAPS SURROUNDING THE STERNWHEEL INTERACTIVE MUST BE LESS THAN 1/4" AS TO ELIMINATE PINCH POINTS FOR FINGERS.
8. SEE PROVIDED 3D MODEL FOR ADDITIONAL DETAILS AND DIMENSIONS.




SECTION VIEW - E

STERNWHEEL BOAT


SCALE: 1/2" = 1'-0"

- NOTES:**
1. TARGET AUDIENCE: 3 - 7 YR OLDS (ERGONOMICS DESIGNED TO METRICS RELATING TO A 75-PERCENTILE 5-YR-OLD.)
 2. EASED EDGES. NO SHARP CORNERS.
 3. UNLESS OTHERWISE SPECIFIED, ALL MATERIALS ARE PAINTED WOOD.
 4. UNLESS OTHERWISE SPECIFIED, NO VISIBLE HARDWARE.

VISIBLE FASTENERS TO REINFORCE THE NAUTICAL AESTHETIC (ROUND-HEAD, BRASS HARDWARE, ETC).
 5. STRUCTURE ANCHORS TO FACILITY. ATTACHMENT DETAIL TBD BY FABRICATOR.
 6. THE MAIN BOAT BODY AND STERNWHEEL (INTERACTIVE + CLADDING) ARE INDEPENDENT STRUCTURES CONNECTED VISUALLY BY A FAUX SHAFT. THE FAUX SHAFT HIDES THE FUNCTIONAL HARDWARE FOR THE ROTATING INTERACTIVE.
 7. ALL GAPS SURROUNDING THE STERNWHEEL INTERACTIVE MUST BE LESS THAN 1/4" AS TO ELIMINATE PINCH POINTS FOR FINGERS.
 8. SEE PROVIDED 3D MODEL FOR ADDITIONAL DETAILS AND DIMENSIONS.



SCALE: 1/2" = 1'-0"



SECTION VIEW - G

STERNWHEEL BOAT

SCALE: 1/2" = 1'-0"

NOTES:

1. TARGET AUDIENCE: 3 - 7 YR OLDS (ERGONOMICS DESIGNED TO METRICS RELATING TO A 75-PERCENTILE 5-YR-OLD.)
2. EASED EDGES. NO SHARP CORNERS.
3. UNLESS OTHERWISE SPECIFIED, ALL MATERIALS ARE PAINTED WOOD.
4. UNLESS OTHERWISE SPECIFIED, NO VISIBLE HARDWARE.

VISIBLE FASTENERS TO REINFORCE THE NAUTICAL AESTHETIC (ROUND-HEAD, BRASS HARDWARE, ETC).
5. STRUCTURE ANCHORS TO FACILITY. ATTACHMENT DETAIL TBD BY FABRICATOR.
6. THE MAIN BOAT BODY AND STERNWHEEL (INTERACTIVE + CLADDING) ARE INDEPENDENT STRUCTURES CONNECTED VISUALLY BY A FAUX SHAFT. THE FAUX SHAFT HIDES THE FUNCTIONAL HARDWARE FOR THE ROTATING INTERACTIVE.
7. ALL GAPS SURROUNDING THE STERNWHEEL INTERACTIVE MUST BE LESS THAN 1/4" AS TO ELIMINATE PINCH POINTS FOR FINGERS.
8. SEE PROVIDED 3D MODEL FOR ADDITIONAL DETAILS AND DIMENSIONS.